

PRINTER RUSH

(PTO ASSISTANCE)

Application : D9/692344 Examiner : Dates GAU : 2855
 From : CA Location : IDC FMF FDC Date : 03-20-05

Tracking # : 02072013 Week Date : 01-31-05

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input checked="" type="checkbox"/> IDS	<u>6/21/04</u>	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input checked="" type="checkbox"/> Other <u>NOA 1/11/05</u>
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input checked="" type="checkbox"/> SPEC	<u>10/19/00</u>	

[RUSH] MESSAGE: please initial the though Citation date 6/21/04
② Examiner's Amet (NOA) cites two amets for the same Claim 9.
③ please provide missing Serial numbers for 1st page of spec.
Thank You
CP

[XRUSH] RESPONSE: A Supplemental Examiner's Amendment has been made
that corrects the three issues of the IDS, the spec, and the NOA

INITIALS: K3

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04